Leverkusen Ceiling Grid

A custom random grid ceiling raft, this light can be used as a ceiling detail in groups to absorb excess sound and reverberation, as well as integrating with biophillic design. Its unique shape allows for creating patterns on ceiling.

A great solution to control spaces with high indexes of reverberation, the shape optimises the NRC performance of every room.

Creating Quiet through architectural acoustic solutions.









*** Colour

To specify felt colour replace *** with colour prefered colour code on the next page.





ekkofelť

Colour Options



Portobello Canary Wharf Notting Hill St Giles Buckingham Marble Arch 219-12 231-12 223-12 203-12 230-12 211-12 Lido Kew Hammersmith Holland Park Barbican Sloane 224-12 239-12 509-12 225-12 441-12 236-12 Southwark Primrose Hill Farringdon Chelsea Piccadilly Kings Cross 222-12 237-12 227-12 220-12 235-12 Fenchurch Thames Richmond Whitehall Hamleys Bank 229-12 233-12 440-12 221-12 438-12 215-12 ekkofelť 12-24 mm Lloyds Greenwich St Pauls ekkoacoustics.com Mews 210-12 226-12 232-12 228-12 *24mm consist of x2 bonded 12mm ekkofelt sheets, using specialist glue to avoid a reduction in the acoustic efficiency.

*18mm consist of x2 bonded 9mm ekkofelt sheets, using specialist glue to avoid a reduction in the acoustic efficiency.

Acoustic Test Results for PET Sheet - ekkofelt[™] by ekko® Tests conducted by the University of Salford Acoustic Test Laboratory on 11th July 2023 Tests conducted in accordance with BS EN ISO 354: 2003 (Measurements of Absorption in Reverberation Room)

Thickness	Result Type	No Air Gap	50mm Air Gap	100mm Air Gap	200mm Air Gap
9mm	aw rating 0.250.650.9 Absorption ClassECA as coefficient @ 2000 Hz0.70.950.85* SAA rating - NRC Replacement0.320.720.85	0.25	0.65	0.9	0.9
		E	С	А	А
		0.7	0.95	0.85*	0.95
		0.32	0.72	0.85	0.9
12mm	aw rating 0.250.650.9 Absorption ClassECA as coefficient @ 2000 Hz0.70.950.85* SAA rating - NRC Replacement0.320.720.85	0.25	0.65	0.9	0.95
		Е	С	А	А
		0.85	1.00]*	1.00
		0.41	0.76	0.87	0.92
18mm	aw rating 0.250.650.9 Absorption ClassECA as coefficient @ 2000 Hz0.70.950.85* SAA rating - NRC Replacement0.320.720.85	0.45	0.8	0.95	1
		D	В	А	А
		1	1	1	1
		0.6	0.84	0.91	0.95
	aw rating 0.250.650.9	0.5	0.85	1	1
24mm	•			Δ	A
		1	1	1	1
	8	07	0.89	0.94	0.97
24mm	Absorption ClassECA as coefficient @ 2000 Hz0.70.950.85* SAA rating - NRC Replacement0.320.720.85	D 1 0.7	B 1 0.89	A 1 0.94	C

University of Salford test procedure is strictly conducted in accordance with BS EN ISO 354. Full test measurement report available on request.

aw (alpha weighted) rating has been calculated in accordance with BS EN 11654:1997 (sound absorbers for use in buildings)

BS EN 11654:1997 includes a table for expressing aw values as a single letter e.g. Absorption Class

as rating is the absorption coefficient at a particular frequency

SAA ratings are an American standard, widely used as a simple rating of absorption performance. Replaces previously titled NRC testing as coefficient affected by resonance during test at this frequency & air gap dimension, marked by *



V1: Test data collated from source test results. V2: Test results produced by University of Salford 11th July 2023.



Notes:

Frequencies (Hz) range of 125 to 5000Hz Class of absorption in accordance with BS EN ISO 11654:1997 Average frequency of adult speech American Standard (Sound Absorption Coefficient), replaces NRC rating Frequencies (Hz) range of 125 to 5000Hz

Class of absorption in accordance with BS EN ISO 11654:1997 Average frequency of adult speech American Standard (Sound Absorption Coefficient), replaces NRC rating

Frequencies (Hz) range of 125 to 5000Hz Class of absorption in accordance with BS EN ISO 11654:1997 Average frequency of adult speech American Standard (Sound Absorption Coefficient), replaces NRC rating

Frequencies (Hz) range of 125 to 5000Hz Class of absorption in accordance with BS EN ISO 11654:1997 Average frequency of adult speech



PET Felt panels are used for acoustic solutions in ceilings, walls, and lighting. Can be shaped and cut to designs for architectural soundscaping.

Key features Include:

- OEKO-TEX Standard 100 Declaration of conformity EN ISO 170050-1.
- Manufactured using a minimum of 50% post-consumer recycled material.
- · Limitless branding and design possibilities with in-house custom cutting.
- · Excellent acoustic performance.
- 0% Formaldehyde binders in our ekkofelt™ Products.
- \cdot Non-toxic, non-irritant, and non-allergenic.
- Extensive range of colours Manufactured and stocked in the UK.

SPECIFICATION

Panel Composition: 100% PET (50% Post Consumer Recycled Waster 50% Polyester Felt) Panel Dimension : 2800mm (+/- 3mm) x 1200mm (+/- 3mm) Thickness: 12mm (+/-0.5mm) Weight: 8kg per Panel Material Colours: 22 Colours in Stock / 75 Colours Available Melting Point: 250°C Max. Recommended Service Temp: 80°C

SOUND ABSORPTION

aw 0.25 (0mm air gap) Class E. 0.65 (50mm air gap) Class C. 0.90 (100mm air gap) Class A. 0.95 (200mm air gap) NRC: 0.45 (0mm air gap) 0.85 (50mm air gap) Fire retardant: EN 13501-1: 2018 Classification B-s1, d0 P

ENVIRONMENTAL

ekkofelt™ PET is manufactured using a minimum of 50% post-consumer recycled content (PET plastic bottles).

HAZARDS IDENTIFICATION Non-hazardous and non-dangerous goods.

CHEMICAL ENTITY Polyester Fiber from PET (Polyethylene Terephthalate).



