



Decorative Lighting
Belleville 14

Pendantic.



SPECIFICATION DATA

Code	Finish	Size (mm)	Delivered Lumens (lm)	Total System Wattage (W)	Efficacy (lm/cw)	Colour Temp (°K)	CRI
BELR/14	Rusty	ø 515 x 395	N/A	Max 60W	N/A	N/A	N/A
BELR/12	Rusty	ø 325 x 400	N/A	Max 60W	N/A	N/A	N/A
143200	Lamp	GLS E27 LED	806	7.5	85.5	2700K	>80

- Part numbers are for individual luminaires.
- 5 year warranty
- See website for LDT files
- For CAD/BIM contact us
- For bespoke lengths please contact us
- See website for Technical Data Sheet
- E27
- IP20



Belleville 14

Pendantic.

Construction

- Pressed Steel
- E27 Lamp Holder

Features

- Unique Look
- Stylish Design
- Family of Products

Applications

- Commercial and Business Areas
- Public Buildings
- Housing
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

Benefits

- Contemporary Style
- Energy Efficient Solution
- 5 Year Warranty

Optical Options

Code	Description
/OS	Opal (Standard)

CCT Options

Code	Description
22K8	2200K
27K8	2700K
3K8	3000K
4K8	4000K


Mounting Options

Code	Description
	Suspended (Standard)

Finish Options

Code	Description
N/A	Rust
B	Black
W	White
G	Grey
RG	Rust Gold

Dimensions



Finish Detail



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ

SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF

SHOWROOM: 1 New York St, Manchester M1 4HD

01992 445828



EnabledLED
Licensing Program for LED
Luminaires and Retrofit Bulbs

Member
Synergy Commercial
Lighting Limited

