




Decorative Lighting
Belmont One

Pendantic.



SPECIFICATION DATA

Code	Finish	Diffuser	Size (mm)	Delivered Lumens (lm)	Toatal System Wattage (W)	Efficacy (lm/cw)	Colour Temp (°K)	CRI
PEND/BMT/P1/B	Black	N/A	57x57x310	450	50 Max	90	4000	>80
PEND/BMT/P1/G	Grey	N/A	57x57x310	450	50 Max	90	4000	>80
PEND/BMT/P1/W	White	N/A	57x57x310	450	50 Max	90	4000	>80

- 5 year warranty
- See website for LDT files
- For CAD/BIM contact us
- See website for Technical Data Sheet
- GU10 LED
- IP20
- Available in bespoke lengths, wall and track mounting, contact us for details



Belmont One

Pendant.

Construction

- Extruded aluminium
- GU10 Lamp Holder

Features

- Unique Look
- Stylish Design
- Family of Products

Applications

- Commercial and Business Areas
- Public Buildings
- Housing
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

Benefits

- Contemporary Style
- Energy Efficient Solution
- 5 Year Warranty

Optical Options

Code	Description
/OS	Opal (Standard)

CCT Options

Code	Description
22K8	2200K
27K8	2700K
3K8	3000K
4K8	4000K


Mounting Options

Code	Description
	Suspended (Standard)


Finish Options

Code	Description
B	Black
W	White
G	Grey
RAL	Any RAL by request

Dimensions



Finish Detail



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ
 SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF
 SHOWROOM: 1 New York St, Manchester M1 4HD

01992 445828



EnabledLED
 Licensing Program for LED
 Luminaires and Retrofit Bulbs

Member
 Synergy Commercial
 Lighting Limited

