


Decorative Lighting

Tahoe Wall Light Two

Pendantic.



SPECIFICATION DATA

Code	Finish	Diffuser	Size (mm)	Delivered Lumens (lm)	Total System Wattage (W)	Efficacy (lm/cw)	Colour Temp (°K)	CRI
	Gold	Opal	650 x 300	1146	17.7	64.7	3000	>80

- Part numbers are for individual luminaires.
- 5 year warranty
- See website for LDT files
- For CAD/BIM contact us
- For bespoke lengths please contact us
- See website for Technical Data Sheet
- IP20

Tahoe Wall Light Two

Construction

- Brass and fiber braided silicone

Features

- LED
- Stylish design
- Family of products

Applications

- Commercial and Business Areas
- Public buildings
- Housing
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

Benefits

- Contemporary style
- Energy efficient solution
- 5 Year warranty

Optical Options

Code	Description
/OS	Opal (Standard)

CCT Options

Code	Description
3K8	3000K


Mounting Options

Code	Description
	Surface Mounted (Standard)

Finish Options

Code	Description
	Gold (Standard)
RAL	Any RAL by request

Dimensions



Finish Detail



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ

SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF

SHOWROOM: 1 New York St, Manchester M1 4HD

01992 445828

