




Decorative Lighting

Boerum Two Pendant

Pendantic.



SPECIFICATION DATA

Code	Finish	Diffuser	Size (mm)	Delivered Lumens (lm)	Toatal System Wattage (W)	Efficacy (lm/cw)	Colour Temp (°K)	CRI
	Antique Brass	Clear Glass	170 x 310	330	4	140	2200	>80

- Part numbers are for individual luminaires.
- 5 year warranty
- See website for LDT files
- For CAD/BIM contact us
- For bespoke lengths please contact us
- See website for Technical Data Sheet
- E27
- IP20



Boerum Two Pendant

Construction

- Brass
- Clear glass shade

Features

- E27 lampholder
- Stylish Design
- Family of Products

Applications

- Commercial and Business Areas
- Public Buildings
- Housing
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

Benefits

- Contemporary Style
- Energy Efficient Solution
- 5 Year Warranty

Optical Options

Code	Description
/OS	Opal (Standard)

CCT Options

Code	Description
2K8	2700K
3K8	3000K
4K8	4000K

Mounting Options

Code	Description
	Suspended (Standard)

Finish Options

Code	Description
G	Brass (Standard)

Finish Detail



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ
SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF
SHOWROOM: 1 New York St, Manchester M1 4HD

01992 445828

