## Lega 50 Magnetic Track Spot

**Magnetic Track Lighting** 







SPECIFICATION DATA								
Code	Finish	Diffuser	Size (mm)	Delivered Lumens (lm)	Total System Wattage (W)	Efficacy (llm/cw)	Colour Temp (°K)	CRI
твс	Black	LED Lens	ø50 x 60 x 79	465	3.0	155	3000	>80
ТВС	Black	LED Lens	ø50 x 60 x 79	675	4.5	153	4000	>80

#### **COMPATIBLE WITH**

















## Lega 50 Magnetic Track Spot

## **Magnetic Track Lighting**



## **Construction**

- Cast-pressed aluminium
- LED lens
- Requires 48V DC Track

## **Optical Options**

Code	Description
20L	25° lens
40L	40° lens
10R	10° reflector
20R	20° reflector

## **Mounting Options**

Code	Description
T1	Low voltage standard track
T2	Low voltage track double emission
T5	Low voltage trimless track
T8	Low voltage recessed track

#### **Features**

- Vertical 90° / Horizontal 360°
- Remote electronic transformer
- IP20

## **CCT Options**

Code	Description
4K8	4000K
3K8	3000K


## **Finish Options**

Code	Description
В	Black (Standard)
W	White
GL	Gold

## **Applications**

- Commercial and Business Areas
- Public buildings
- Co-work spaces
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

## **Dimensions**







### **Benefits**

- Contemporary style
- Energy efficient solution
- Compact mini spotlight

**Please note,** The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF SHOWROOM: 1 New York St, Manchester M1 4HD



EnabLED Licensing Program for LED Luminaires and Retrofit Bulbs

Synergy Commerci Lighting Limited



# Lega 50 Magnetic Track Spot

**Magnetic Track Lighting Accessories** 



