



SWELTO

## **Magnetic Track Lighting**







SPECIFICATION DATA							
Code	Finish	Size (mm)	Delivered Lumens (lm)	Total System Wattage (W)	Efficacy (Ilm/cw)	Colour Temp (°K)	CRI
ТВС	Black	35 x 83 x 148	896	5.4	167	3000	>80
ТВС	Black	35 x 83 x 148	944	5.4	176	4000	>80
ТВС	Black	35 x 83 x 148	999	6.1	164	3000	>80
ТВС	Black	35 x 83 x 148	1053	6.1	173	4000	>80

- 5 year warranty
- See website for LDT files
- For CAD/BIM contact us
- See website for Technical Data Sheet
- Lower output version available















# **Lega Colus Track Spot**

#### **Magnetic Track Lighting**



### **Construction**

- Extruded aluminium
- 48V DC Track
- · Safety glass clear
- Remote electronic transformer
- · Safety glass clear

# CCT Options

Code	Description
4K8	4000K (Standard)
3K8	3000K

For 3000K version, replace '4K8' in part number with '3K8'  $\,$ 

### n Optical Options

Code	Description
20	Reflector 20°
40	Reflector 40°
60	Reflector 60°

# **Mounting Options**

Code	Description
T1	Low voltage standard track
T2	Low voltage track double emission
T5	Low voltage trimless track
T8	Low voltage recessed track

### Finish Options

Code	Description
В	Black (Standard)
W	White
G	Gold

#### **Features**

- Magnetic
- Range of accessories
- Surface, resessed and trimless


### **Applications**

- Commercial and Business Areas
- Public buildings
- Co-work spaces
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

#### **Benefits**

- Contemporary style
- Energy efficient solution

### **Dimensions**



**Please note,** The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF SHOWROOM: 1 New York St, Manchester M1 4HD



EnabLED Licensing Program for LED Luminaires and Retrofit Bulbs

Member
Synergy Commercia
Lighting Limited





