











SPECIFICATION DATA							
Code	Finish	Size (mm)	Delivered Lumens (Im)	Total System Wattage (W)	Efficacy (Ilm/cw)	Colour Temp (°K)	CRI
ТВС	Black	66x159	2077	11.6	179	4000	>80
ТВС	Black	66x159	2890	16.9	171	4000	>80
ТВС	Black	66x159	3700	22.4	165	4000	>80
ТВС	Black	66x159	3907	24.2	161	4000	>80

- 5 year warranty
- See website for LDT files
- For CAD/BIM contact us
- See website for Technical Data Sheet
- Lower output version available















Lega N Track Spot

Magnetic Track Lighting



Construction

- Extruded aluminium
- 48V DC Track
- · Safety glass clear
- Remote electronic transformer
- · Safety glass clear

Features

- Magnetic
- Range of accessories
- Surface, resessed and trimless

Optical Options

Code	Description
10	Reflector 10°
23	Reflector 23°
36	Reflector 36°

Mounting Options

Code	Description
T1	Low voltage standard track
T2 Low voltage track double emission	
T5	Low voltage trimless track
T8	Low voltage recessed track

CCT Options

Code	Description
4K8	4000K (Standard)
3K8	3000K

For 3000K version, replace '4K8' in part number with '3K8'

Finish Options

Code	Description	
В	Black (Standard)	
W	White	


Applications

- Commercial and Business Areas
- Public buildings
- Co-work spaces
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

Benefits

- Contemporary style
- Energy efficient solution

Dimensions



Please note, The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF SHOWROOM: 1 New York St, Manchester M1 4HD



EnabLED Licensing Program for LED Luminaires and Retrofit Bulbs

Synergy Commerci Lighting Limited





