

Lega Tube
Magnetic Track Lighting









SPECIFICATION DATA								
Code	Finish	Туре	Size (mm)	Delivered Lumens (lm)	Total System Wattage (W)	Efficacy (Ilm/cw)	Colour Temp (°K)	CRI
ТВС	Black	LED Tape	1530	3060	22	139	3000K	>80

- 300mm, 600mm, 900mm, 1200mm and 1500mm lengths
- 5 year warranty
- IP20

#### **COMPATIBLE WITH**

















## Lega Tube Track Luminaire

#### **Magnetic Track Lighting**



#### Construction

- Extruded aluminium
- LED lens
- Requires 48V DC Track

#### **Optical Options**

Code	Description	
N/A	LED lens	

#### **Mounting Options**

Code	Description	
T1	Low voltage standard track	
T2	Low voltage track double emission	
T5	Low voltage trimless track	
T8	Low voltage recessed track	

#### **Features**

- Vertical 90° / Horizontal 360°
- Remote electronic transforme
- IP20

#### **CCT Options**

Code	Description	
4K8	4000K	
3K8	3000K	
27K8	2700K	


#### **Finish Options**

Code	Description		
В	Black (Standard)		
W	White		
GL	Gold		

### **Applications**

- Commercial and Business Areas
- Public buildings
- Co-work spaces
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

#### **Dimensions**



#### **Benefits**

- Contemporary style
- Energy efficient solution
- Compact mini spotlight

Please note, The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF SHOWROOM: 1 New York St, Manchester M1 4HD



EnabLED Licensing Program for LED Luminaires and Retrofit Bulbs

Synergy Commerc Lighting Limited



# Lega Tube Track Luminaire

**Magnetic Track Lighting Acessories** 



