


SYNERGY
CREATIV.

**STAND OUT FROM
THE CROWD**

Novi

Direct/Indirect Floor Lamp

SVIELTO



SPECIFICATION DATA

Code	Finish	Dimmable	Presence sensor	Size (mm)	Luminous Flux (lm)	Total System Wattage (W)	Efficacy (lm/cw)	Colour Temp (°K)	CRI
NOVFB/D/HX/3k8	Black	Yes	No	1955x855	12000	92.3	130	3000	>80
NOVFW/D/HX/3K8	White	Yes	No	1955x855	12000	92.3	130	3000	>80
NOVFB/D/HX/4K8	Black	Yes	No	1955x855	12000	92.3	130	4000	>80
NOVFW/D/HX/4K8	White	Yes	No	1955x855	12000	92.3	130	4000	>80
NOVFB/D/HX/3K8/PIR	Black	Yes	Yes	1955x855	12000	92.3	130	3000	>80
NOVFW/D/HX/3K8/PIR	White	Yes	Yes	1955x855	12000	92.3	130	3000	>80
NOVFB/D/HX/4K8/PIR	Black	Yes	Yes	1955x855	12000	92.3	130	4000	>80
NOVFW/D/HX/4K8/PIR	White	Yes	Yes	1955x855	12000	92.3	130	4000	>80

- 5 year warranty
- See website for LDT files
- For BIM models, please contact us
- See website for Technical Data Sheet

Construction

- Aluminium and steel
- Swivel and tilt adjustment
- 25% direct/75% indirect

Features

- Dimming
- Low glare <9
- Optional daylight & presence sensor

Applications

- Office work stations
- Waiting areas
- Focus work areas
- Reading areas
- Receptions
- Arts and Culture spaces

Benefits

- Energy efficiency class D
- High luminaire luminous flux
- Optimal lighting of up to two desk workstations in block arrangement

CCT Options

Code	Description
4K8	4000K
3K8	3000K

Control Options

Code	Description
PIR	Presence sensor daylight linked


Mounting Options

Code	Description
F	Freestanding
D	Desk Mounted (see sepc)

Finish Options

Code	Description
W	White
B	Black (Standard)

Dimensions



The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



HEAD OFFICE: Unit 4, Charlton Mead Lane, Hoddesdon, Hertfordshire EN11 0DJ
 SHOWROOM: 121-131 Rosebery Ave, London EC1R 4RF
 SHOWROOM: 1 New York St, Manchester M1 4HD

01992 445828

Enabled
Licensing Program for LED
Luminaires and Retrofit Bulbs

Member
Synergy Commercial
Lighting Limited